



The State of New Hampshire
DEPARTMENT OF ENVIRONMENTAL SERVICES



Robert R. Scott, Commissioner

EMAIL ONLY

October 14, 2021

Michael Houghton
Select Board Chair, Town of Stratham
10 Bunker Hill Avenue
Stratham, NH 03885

Subject: **Stratham** – Stratham Fire Department, 4 Winnicutt Road
DES Site #199507007, Project #39137

**Groundwater Management Permit Application Property Table Update,
Stratham Fire Department, 4 Winnicutt Road, Stratham New Hampshire,**
prepared by Wilcox & Barton, Inc., dated September 24, 2021

**Remedial Action Plan and Groundwater Management Permit Application,
Stratham Fire Department, 4 Winnicutt Road, Stratham New Hampshire,**
prepared by Wilcox & Barton, Inc., dated April 7, 2021

Dear Mr. Houghton:

The New Hampshire Department of Environmental Services (NHDES) has completed our review of the above-referenced submittals, prepared by Wilcox & Barton, Inc. (WBI) for the Town of Stratham Fire Department (Site), located at 4 Winnicutt Road, Stratham. The primary submittal presents a Remedial Action Plan (RAP) and Groundwater Management Permit (GMP) application to address the presence of per- and polyfluoroalkyl substances (PFAS) in groundwater, as requested by NHDES in a letter dated July 21, 2020.

On April 28, 2021, NHDES issued a preliminary response to the RAP and requested that the Town proceed with installation of proposed Point-of-Entry (POE) treatment systems listed in Section 5 of the RAP. NHDES understands design and installation of the POE treatment systems is currently in progress. This letter provides NHDES' approval of the RAP and GMP, subject to inclusion of the following comments.

1. After the installation of the POE treatment systems is complete, please submit a summary report that includes a general description of the POE treatment system installed at each property, an overview of the treatment system operation and maintenance requirements, and a map showing the locations of treatment systems (and any other supporting figures or tables).

Additionally, if the "Regional PFAS Overview" information presented in Figure 6 of the RAP is used in subsequent reports, please update the Legend/Map accordingly to indicate the frequency of the Maximum Contaminant Level (MCL) exceedance. For example, the wells shown in red should be defined as having MCL exceedances detected *during all PFAS monitoring events*, and wells shown in yellow should be defined as having MCL exceedances detected *during one monitoring event*.

www.des.nh.gov

29 Hazen Drive • PO Box 95 • Concord, NH 03302-0095
(603) 271-2908 • Fax: 271-2181 • TDD Access: Relay NH 1-800-735-2964

2. The proposed Groundwater Management Zone (GMZ) partially overlaps with an existing GMZ for the Stratham Village Market Site (DES Site #199505031), located at 157 Portsmouth Avenue in Stratham and managed by the NHDES Oil Remediation and Compliance Bureau (ORCB). Please consider coordinating sampling activities with the consultants for the Stratham Village Market Site to minimize disturbance to the property owners that are sampled under both GMPs, to the extent practicable. The proposed sampling schedule set in this GMP allows for this coordination.
3. Four properties included in the proposed GMZ are served by public water supply (PWS) wells (142 Portsmouth Avenue – PWS ID No. 2236100, 149/151 Portsmouth Avenue – PWS ID No. 2236190, 157 Portsmouth Avenue – PWS ID No. 2236130, and the Stratham Green Condominiums, Route 108 – PWS ID No. 2232050). Quarterly monitoring for PFAS in accordance with Env-DW 712.24(b) and 712.27 is required to be performed at these properties as a result of impacts from the Site. Coordinating monitoring activities with the existing PWS sampling program at these locations is preferred.
4. The boundary of the proposed GMZ is based largely on the results of one or two samples collected from each water supply well; however, the temporal variability of PFAS concentrations in these water supply wells is not yet known. Elsewhere in New Hampshire, seasonal variation of PFAS has been observed in bedrock water supply wells. Additional data is still needed at this Site to evaluate how stable PFAS concentrations are for wells that are outside of the proposed GMZ. NHDES agrees with the proposed GMP monitoring at properties 1, 5, 15, and 23 College Road, and 7/7R Winnicutt Road (locations where PFAS were detected above NHDES' Ambient Groundwater Quality Standards (AGQS) during the initial sampling in 2019, but did not exceed AGQS during the confirmation sampling in 2020). Additionally, samples should also be collected as part of the GMP from 3 College Road, 132 Portsmouth Avenue, and 160 Portsmouth Avenue, due to the presence of PFAS in samples at concentrations slightly below AGQS and/or their proximity to wells that exceed AGQS. Until the seasonal variability in PFAS concentrations at the Site is better understood, these locations should be included in the GMP with the same sampling schedule as the properties with POE treatment systems. In cases of new AGQS violations, permanent potable water (i.e., POE treatment systems) would likely need to be installed and monitored as part of the GMP at affected properties, and the GMP would need to be revised with an updated GMZ.
5. NHDES requests confirmation sampling of all properties listed on Table 3 of the above-referenced Remedial Action Plan that were sampled only once. The results will be evaluated to determine if additional permit-required monitoring is warranted.
6. NHDES notes that a sample has not been collected for PFAS analysis from the property located at 139 Portsmouth Avenue. During the drinking water sampling, conducted as part of the February 24, 2020 Site Investigation (SI), access was not granted to this property due to sample collection activities conducted as part of monitoring under the ORCB GMP. PFAS have been detected above AGQS from the two adjacent properties. NHDES requests that another attempt be made to collect a drinking water sample for PFAS analysis from 139 Portsmouth Avenue. Please coordinate that sampling effort with the monitoring program associated with ORCB to minimize impacts to the property owner.


7. Sampling of the irrigation wells located at 4R and 6 College Road is scheduled to occur during the same months as the POE treatment system monitoring. Please note that these irrigation wells are usually winterized, so coordination with the property owner may be necessary to ensure sample collection is possible.
8. NHDES requests that quality assurance/quality control (QA/QC) samples be collected and submitted for PFAS analysis. Please include the appropriate analytical results in data submittals.

Please find enclosed GMP Number **GWP-199507007-S-001**, as approved by NHDES. This Permit is issued for a period of 5 years to monitor the effects of past discharges of PFAS. Please submit all required sampling results and monitoring summaries to the NHDES Groundwater Management Permits Coordinator. Correspondence should include the appropriate [Cover Sheet for Reports](#) and completed [Cover Sheet for Groundwater Monitoring Reports](#), that clearly show the NHDES identification number for this Site (i.e., DES Site #199507007, Project #39137). The submittal of documents in an electronic format through NHDES' [OneStop database](#) is preferred.

The GMZ for this permit includes properties that are not owned by the Permit holder. Therefore, Condition #9 requires the Permit holder to provide notice of the Permit by certified mail, within 15 days of Permit issuance, to all owners of lots of record within the GMZ. Documentation of the notification, in the form of a copy of the notice with return receipt(s), shall be submitted to NHDES within 45 days of Permit issuance.

Also, please note that Condition #10 requires the Permit holder to record "Notice" of the Permit (not the Permit), within 60 days of issuance, at the registry of deeds in the chain of title for each lot within the GMZ. A separate Notice form for each property within the GMZ shall be generated and recorded. An example Notice can be found on NHDES' web page at the following link: <https://www.des.nh.gov/documents/example-notice-groundwater-management-permit>. A copy of each recorded Notice shall be submitted to NHDES within 30 days of recordation.

Sincerely,



Amy Gibney
Hazardous Waste Remediation Bureau
Tel: (603) 271-7022
Email: Amy.E.Gibney@des.nh.gov

Waste
Management
Division

Digitally signed by Waste
Management Division
Date: Thursday, October 14, 2021
9:38:52

ec: Amy Doherty, P.G., State Sites Supervisor, HWRB
Margaret Bastien, P.E., ORCB
Thomas R. Fargo, P.G., ORCB
Emily Jones, DWGB
Russell Barton, Wilcox & Baron, Inc.
Madeleine Broussard, Wilcox & Barton, Inc.
David Moore, Town Administrator, Town of Stratham
Matt Larrabee, Fire Chief, Town of Stratham
Attention Health Officer, Town of Stratham



The
NEW HAMPSHIRE DEPARTMENT OF ENVIRONMENTAL SERVICES
hereby issues
GROUNDWATER MANAGEMENT PERMIT NO. GWP-199507007-S-001
to the permittee
THE TOWN OF STRATHAM
to monitor the past discharge of
Per- and Polyfluoroalkyl Substances (PFAS)
at
STRATHAM FIRE DEPARTMENT
(4 Winnicutt Road)
in STRATHAM, N.H.
via the groundwater monitoring system comprised of
8 monitoring wells, 2 irrigation wells, and 28 private/public drinking water wells
as depicted on the Site Plans entitled
"Figure 4 - Piezometric Head Elevation Plan" and "Figure 6 - Regional PFAS Overview"
dated October 29, 2020 and February 25, 2021, respectively, prepared by Wilcox & Barton, Inc.

TO: TOWN OF STRATHAM
10 BUNKER HILL AVENUE
STRATHAM, NH 03885

Date of Issuance: October 14, 2021
Date of Expiration: October 13, 2026

Pursuant to authority in N.H. RSA 485-C:6-a, the New Hampshire Department of Environmental Services (NHDES), hereby grants this Permit to monitor past discharges to the groundwater at the above-described location for five years, subject to the following conditions:

(continued)

STANDARD MANAGEMENT PERMIT CONDITIONS

1. The permittee shall not violate Ambient Groundwater Quality Standards adopted by NHDES (N.H. Admin. Rules Env-Or 600) in groundwater outside the boundaries of the Groundwater Management Zone, as shown on the referenced site plan.
2. The permittee shall not cause groundwater degradation that results in a violation of surface water quality standards (N.H. Admin. Rules Env-Wq 1700) in any surface water body.
3. The permittee shall allow any authorized staff of NHDES, or its agent, to enter the property covered by this Permit for the purpose of collecting information, examining records, collecting samples, or undertaking other action associated with this Permit.
4. The permittee shall apply for renewal of this Permit prior to its expiration date but no more than 90 days prior to expiration.
5. This Permit is transferable only upon written request to, and approval of, NHDES. Compliance with the existing Permit shall be established prior to Permit transfer. Transfer requests shall include the name and address of the person to whom the Permit transfer is requested, the signatures of the current and future permittees, and a summary of all monitoring results to date.
6. NHDES reserves the right, under N.H. Admin. Rules Env-Or 600, to require additional hydrogeologic studies and/or remedial measures if NHDES receives information indicating the need for such work.
7. The permittee shall maintain a water quality monitoring program and submit monitoring results to NHDES no later than 45 days after sampling. Samples shall be taken from the POE systems, drinking water supply wells, and monitoring wells as shown and labeled on the referenced site plans and listed in the following table in accordance with the schedule outlined herein:

Monitoring Locations	Sampling Frequency	Parameters
MW-101, MW-102, MW-103, MW-104, MW-105, MW-1, MW-3, and MW-5	April and September of each year	Per- and polyfluoroalkyl substances (PFAS) analysis by LC/MS/MS using isotope-dilution following methodologies based on USEPA Methods 533 or 537.1, or the protocols of the U.S. Dept. of Defense (USDOD) Quality Systems Manual 5.2 (or later version) Table B-15 and Static Water Levels
<i>Public Water Systems*:</i> 142 Portsmouth Avenue 149/151 Portsmouth Avenue 157 Portsmouth Avenue Stratham Green Condominium Wells #1, #2, and #3	Quarterly based on Drinking Water Groundwater Bureau sampling requirements	PFAS via EPA Method 537 Rev 1.1, EPA Method 537.1, or EPA Method 533

Monitoring Locations	Sampling Frequency	Parameters
<p><i>Private Wells with Point of Entry (POE) Treatment Systems** at the Following Addresses:</i></p> <p>2 College Road 4 College Road (Nursery Building) 4R College Road (Primary Well) 9 College Road 11 College Road 13 College Road 145 Portsmouth Avenue 152 Portsmouth Avenue 156 Portsmouth Avenue 159 Portsmouth Avenue 161-2 Portsmouth Avenue 164 Portsmouth Avenue 166 Portsmouth Avenue 4 Winnicutt Road</p>	<p>January, April, September of each year***</p>	<p>PFAS analysis by LC/MS/MS using isotope-dilution following methodologies based on USEPA Methods 533 or 537.1, or the protocols of the U.S. Dept. of Defense (USDOD) Quality Systems Manual 5.2 (or later version) Table B-15</p>
<p><i>Private Wells without POE Treatment Systems at the Following Addresses:</i></p> <p>1 College Road 3 College Road 4R College Road (Irrigation Well) 5 College Road 6 College Road (Irrigation Well) 15 College Road 23 College Road 132 Portsmouth Avenue 160 Portsmouth Avenue 7/7R Winnicutt Road</p>	<p>January, April, September of each year***</p>	<p>PFAS analysis by LC/MS/MS using isotope-dilution following methodologies based on USEPA Methods 533 or 537.1, or the protocols of the U.S. Dept. of Defense (USDOD) Quality Systems Manual 5.2 (or later version) Table B-15</p>

*Samples shall be collected from system effluent only.

**Samples shall be collected from system influent, midfluent (for two-tank systems), and effluent. For two tank systems, only the influent and midfluent samples shall be analyzed initially. If PFAS are detected in the midfluent sample, the effluent sample shall be analyzed.

***Sampling will be conducted on a triannual basis until monitoring results evaluate/confirm the seasonal variability of PFAS concentrations in groundwater and the effectiveness of the POE treatment systems (e.g., after at least one year of triannual sampling). After the POE treatment system effectiveness is demonstrated, NHDES will consider a request to modify/reduce the sampling frequency in a modified GMP.

Sampling shall be performed in accordance with the documents listed in Env-Or 610.02 (e). Samples shall be analyzed by a laboratory certified by the U.S. Environmental Protection Agency, or NHDES pursuant to Env-C 300.

Summaries of water quality shall be submitted annually to NHDES' Waste Management Division, in the month of November, using a format acceptable to NHDES. The Summary Report shall include the information listed in Env-Or 607.04 (a), as applicable.

Please note that notification letters to homeowners where drinking water samples are collected shall be provided within 45 days of all monitoring events. If PFAS concentrations are detected above AGQS for post treatment drinking water or drinking water that is untreated prior to the tap, written notification is due to NHDES within 5 business days of obtaining knowledge of the results; NHDES also requests immediate verbal notification of the exceedance(s). Additionally, we request that the Town of Stratham provide bottled potable water immediately to those locations as an interim measure.

The Annual Summary Report shall be prepared and stamped by a professional engineer or professional geologist licensed in the State of New Hampshire.

8. Issuance of this Permit is based on the Remedial Action Plan and Groundwater Management Permit Application dated April 6, 2021, and the historical documents found in NHDES file DES #199507007. NHDES may require additional hydrogeologic studies and/or remedial measures if invalid or inaccurate data are submitted.
9. Within 15 days of the date of NHDES approval of this Groundwater Management Permit, the permittee shall provide notice of the Permit by certified mail, return receipt requested, to all owners of lots of record within the Groundwater Management Zone. The permittee shall submit documentation of this notification to NHDES within 45 days of Permit issuance.
10. Within 60 days of the date of NHDES approval of this Groundwater Management Permit, the Permit holder shall record notice of the Permit in the registry of deeds in the chain of title for each Map and Lot within the Groundwater Management Zone. **This recordation requires that the registry be provided with the name of current property owner and associated book and page numbers for the deed of each lot encumbered by this permit. Portions of State/Town/City roadways and associated right-of-way properties within the Groundwater Management Zone do not require recordation.** A copy of each recorded notice shall be submitted to NHDES within 30 days of recordation.
11. Within 30 days of discovery of a violation of an ambient groundwater quality standard at or beyond the Groundwater Management Zone boundary, the permittee shall notify NHDES in writing. Within 60 days of discovery, the permittee shall submit recommendations to correct the violation. NHDES shall approve the recommendations if NHDES determines that they will correct the violation.
12. All monitoring wells at the site shall be properly maintained and secured from unauthorized access or surface water infiltration.

SPECIAL CONDITIONS FOR THIS PERMIT

13. Recorded property within the Groundwater Management Zone shall include the lots as listed and described in the attached table titled Groundwater Management Zone Property Owner List – Site #199507007.
14. The permittee shall update the ownership information required by Env-Or 607.03(a)(20) for all properties within the Groundwater Management Zone prior to renewal of the Permit, or upon a recommendation for site closure.

15. **UNDEVELOPED LOTS WITHIN THE GROUNDWATER MANAGEMENT ZONE**

Consistent with Env-Or 607.06(d), for each undeveloped lot, or portion thereof, which is within the Groundwater Management Zone and lacks access to a public water supply, the permittee shall contact the property owner annually to determine if a water supply well has been installed. The results of these inquiries shall be documented in each Annual Summary Report.

Upon discovery of a new drinking water supply well within the Groundwater Management Zone, the permittee shall provide written notification to NHDES and, to ensure compliance with Env-Or 607.06(a), submit a contingency plan to provide potable drinking water in the event the well is or becomes contaminated above the ambient groundwater quality standards. The potable water supply shall meet applicable federal and state water quality criteria. This plan shall be submitted to NHDES for approval within 15 days of the date of discovery.

The permittee shall sample the new supply well within 30 days of discovery. The well shall be sampled for all the analytical parameters included in Standard Condition # 7, unless otherwise specified in writing by NHDES. The permittee shall forward all analytical results to NHDES' Waste Management Division, and the owner of the drinking water supply well, within 7 days of receipt of the results.

If the results for the new well meet the ambient groundwater quality standards, the permittee shall continue to sample the new wells annually as part of the permit.

If the results for the new well indicate a violation of the ambient groundwater quality standards, the permittee shall notify the owner immediately and conduct confirmatory sampling within 14 days of receiving the original results.

Upon confirmation of a violation of the ambient groundwater quality standards in a new drinking water well, the permittee shall immediately implement the contingency plan to provide a potable drinking water supply that meets applicable federal and state water quality criteria.



Karlee A. Kenison, P.G., Administrator
Hazardous Waste Remediation Bureau
Waste Management Division

Any person aggrieved by any terms or conditions of this Permit may appeal to the N.H. Waste Management Council ("Council") by filing an appeal that meets the requirements specified in RSA 21-O:14 and the rules adopted by the Council, Env-WMC 200. The appeal must be filed **directly with the Council within 30 days** of the date of this decision and must set forth fully **every ground** upon which it is claimed that the decision complained of is unlawful or unreasonable. Only those grounds set forth in the notice of appeal can be considered by the Council.

Information about the Council, including a link to the Council's rules, is available at <https://nhec.nh.gov/> (or more directly at <https://nhec.nh.gov/waste/index.htm>). Copies of the rules also are available from NHDES' Public Information Center at (603) 271-2975.

Table: Groundwater Management Zone Property Owner List - Site# 199507007

Tax Map / Lot No. / Sublot	Property Address	Owner Name and Address	Deed Reference (Book / Page)
Map 17/ Lot 114	4 Winnicutt Rd Stratham, NH	Town of Stratham c/o David Moore 10 Bunker Hill Ave Stratham, NH 03885	Book 4722/ Page 1104
Map 14/ Lot 041	157 Portsmouth Ave Stratham, NH	Stratham Realty LLC 157 Portsmouth Ave Stratham, NH 03885	Book 6220/ Page 0937
Map 17/ Lot 035	2 College Rd Stratham, NH	Parsons M H Sons Lumber Co. P.O. Box 450 York, ME 03909	Book 3260/ Page 0192
Map 17/ Lot 034	4 College Rd Stratham, NH	David and Jeanne Short P.O. Box 715 Stratham, NH 03885	Book 3127/ Page 1105
Map 17/ Lot 032	4R College Rd Stratham, NH	David and Jeanne Short P.O. Box 715 Stratham, NH 03885	Book 3127/ Page 1105
Map 17/ Lot 033	6 College Rd Stratham, NH	David and Jeanne Short P.O. Box 715 Stratham, NH 03885	Book 3127/ Page 1105
Map 17/ Lot 018	9 College Rd Stratham, NH	Verne E. Rawson, Jr. 9 College Rd Stratham, NH 03885	Book 6101/ Page 2914
Map 17/ Lot 019	11 College Rd Stratham, NH	Andrea J. and Alan P. Shine-Canty 11 College Rd Stratham, NH 03885	Book 3440/ Page 0722
Map 17/ Lot 020	13 College Rd Stratham, NH	Dennis and Gail Secore 13 College Rd Stratham, NH 03885	Book 5090/ Page 0871
Map 17/ Lot 119	142 Portsmouth Ave Stratham, NH	Piper's Landing Partnership 142 Portsmouth Ave Stratham, NH 03885	Book 3299/ Page 0754
Map 17/ Lot 038	145 Portsmouth Ave Stratham, NH	Monterey Capital, LLC 340 Central Ave, Suite 202 Dover, NH 03820	Book 6232/ Page 0963
Map 17/ Lot 040	149/151R Portsmouth Ave Stratham, NH	Jedi Realty, Inc. 149 Portsmouth Ave Stratham, NH 03885	Book 5970/ Page 0024
Map 17/ Lot 117	152 Portsmouth Ave Stratham, NH	Leshas LLC 24 Pinewood Drive Stratham, NH 03885	Book 3370/ Page 1662
Map 17/ Lot 115	156 Portsmouth Ave Stratham, NH	Colleen D. Lake Revoc. Trust 156 Portsmouth Ave Stratham, NH 03885	Book 6032/ Page 2634
Map 17/ Lot 042	159 Portsmouth Ave Stratham, NH	John Forma Revoc. Trust 18 Congress St, Suite 302 Portsmouth, NH 03801	Book 5492/ Page 0909

Table: Groundwater Management Zone Property Owner List - Site# 199507007

Tax Map / Lot No. / Sublot	Property Address	Owner Name and Address	Deed Reference (Book / Page)
Map 17/ Lot 043	161-2 Portsmouth Ave Stratham, NH	Ronald and Sandra Deane 161 Portsmouth Ave, Unit 2 Stratham, NH 03885	Book 5905/ Page 1574
Map 17/ Lot 088	164 Portsmouth Ave Stratham, NH	Blunt Family Revoc. Trust P.O. Box 268 Stratham, NH 03885	Book 5799/ Page 2128
Map 17/ Lot 087	166 Portsmouth Ave Stratham, NH	Robert McLaughlin and Barbara Smith P.O. Box 793 Stratham NH 03885	Book 3030/ Page 0293
Map 17/ Lot 031	Stratham Green Condominiums Stratham, NH	Stratham Green Condominium Unit Owners Association P.O. Box 69 Stratham, NH 03885	Book 2658/ Page 2480
Map 17/ Lot 031/ 001	1 Stratham Green Stratham, NH	Raymond and Kathleen Grenier 1 Stratham Green Stratham, NH 03885	Book 6061/ Page 1722
Map 17/ Lot 031/ 002	2 Stratham Green Stratham, NH	Walsh Revoc. Trust 2 Stratham Green Stratham, NH 03885	Book 4432/ Page 1042
Map 17/ Lot 031/ 003	3 Stratham Green Stratham, NH	Anthony Revoc. Trust 1998 3 Stratham Green Stratham, NH 03885	Book 3353/ Page 2324
Map 17/ Lot 031/ 004	4 Stratham Green Stratham, NH	Hockney Revoc. Trust 4 Stratham Green Stratham, NH 03885	Book 4413/ Page 2340
Map 17/ Lot 031/ 005	5 Stratham Green Stratham, NH	Louis, Jr. and Sharon Stamas 5 Stratham Green Stratham, NH 03885	Book 3486/ Page 2429
Map 17/ Lot 031/ 006	6 Stratham Green Stratham, NH	Eleanor and Jack Tishler 6 Stratham Green Stratham, NH 03885	Book 5379/ Page 1795
Map 17/ Lot 031/ 007	7 Stratham Green Stratham, NH	Goulet Revoc. Trust 7 Stratham Green Stratham, NH 03885	Book 6018/ Page 2923
Map 17/ Lot 031/ 008	8 Stratham Green Stratham, NH	Bohn Family Revoc. Trust 8 Stratham Green Stratham, NH 03885	Book 6060/ Page 2463
Map 17/ Lot 031/ 009	9 Stratham Green Stratham, NH	Albert and Ann Myer 9 Stratham Green Stratham, NH 03885	Book 5389/ Page 0540
Map 17/ Lot 031/ 010	10 Stratham Green Stratham, NH	Dandison Family Revoc. Trust 10 Stratham Green Stratham, NH 03885	Book 5389/ Page 2913
Map 17/ Lot 031/ 011	11 Stratham Green Stratham, NH	Scott and Christy Reid 214 Tennessee Circle Mooresville, NC 28117	Book 5053/ Page 2307

Table: Groundwater Management Zone Property Owner List - Site# 199507007

Tax Map / Lot No. / Sublot	Property Address	Owner Name and Address	Deed Reference (Book / Page)
Map 17/ Lot 031/ 012	12 Stratham Green Stratham, NH	Hatch Family Protection Trust 12 Stratham Green Stratham, NH 03885	Book 5391/ Page 1450
Map 17/ Lot 031/ 013	13 Stratham Green Stratham, NH	Garron Luy Trust 13 Stratham Green Stratham, NH 03885	Book 5904/ Page 1821
Map 17/ Lot 031/ 014	14 Stratham Green Stratham, NH	Christy Lowe and Jeri Vail Vanden Bosch 14 Stratham Green Stratham, NH 03885	Book 5278/ Page 0771
Map 17/ Lot 031/ 015	15 Stratham Green Stratham, NH	Krauss Revoc. Trust 15 Stratham Green Stratham, NH 03885	Book 4972/ Page 2211
Map 17/ Lot 031/ 016	16 Stratham Green Stratham, NH	E.M.S. Realty Trust 16 Stratham Green Stratham, NH 03885	Book 5734/ Page 0377
Map 17/ Lot 031/ 017	17 Stratham Green Stratham, NH	Wilhelmina Florant 17 Stratham Green Stratham, NH 03885	Book 2833/ Page 2582
Map 17/ Lot 031/ 018	18 Stratham Green Stratham, NH	James and Millicent Goodwin 18 Stratham Green Stratham, NH 03885	Book 5786/ Page 1928
Map 17/ Lot 031/ 019	19 Stratham Green Stratham, NH	Richard P. Beeler Revoc. Trust and Kristen P. Kailian Revoc. Trust 19 Stratham Green Stratham, NH 03885	Book 5989/ Page 1006
Map 17/ Lot 031/ 020	20 Stratham Green Stratham, NH	Morse Trust of 2010 20 Stratham Green Stratham, NH 03885	Book 5347/ Page 1202
Map 17/ Lot 031/ 021	21 Stratham Green Stratham, NH	Lawrence Patriquin and Althea Sheaff 21 Stratham Green Stratham, NH 03885	Book 6250/ Page 1027
Map 17/ Lot 031/ 022	22 Stratham Green Stratham, NH	Fee Family Revoc. Trust 2020 22 Stratham Green Stratham, NH 03885	Book 6185/ Page 1377
Map 17/ Lot 031/ 023	23 Stratham Green Stratham, NH	Henderson Trust 23 Stratham Green Stratham, NH 03885	Book 4826/ Page 2235
Map 17/ Lot 031/ 024	24 Stratham Green Stratham, NH	Green Twenty-Four Realty Trust 24 Stratham Green Stratham, NH 03885	Book 3191/ Page 1946
Map 17/ Lot 031/ 025	25 Stratham Green Stratham, NH	Louise Perks 25 Stratham Green Stratham, NH 03885	Book 4912/ Page 0804
Map 17/ Lot 031/ 026	26 Stratham Green Stratham, NH	Stuart Family 2013 Trust 26 Stratham Green Stratham, NH 03885	Book 5518/ Page 0872

Table: Groundwater Management Zone Property Owner List - Site# 199507007

Tax Map / Lot No. / Sublot	Property Address	Owner Name and Address	Deed Reference (Book / Page)
Map 17/ Lot 031/ 027	27 Stratham Green Stratham, NH	Sudduth Revoc. Trust 27 Stratham Green Stratham, NH 03885	Book 5131/ Page 0226
Map 17/ Lot 031/ 028	28 Stratham Green Stratham, NH	M&M Ficara Family Revoc. Trust 28 Stratham Green Stratham, NH 03885	Book 5562/ Page 0865
Map 17/ Lot 031/ 029	29 Stratham Green Stratham, NH	Sparks Revoc. Trust P.O. Box 615 Stratham, NH 03885	Book 6282/ Page 0977
Map 17/ Lot 031/ 030	30 Stratham Green Stratham, NH	Joyce Douglas 30 Stratham Green Stratham, NH 03885	Book 3374/ Page 2369
Map 17/ Lot 031/ 031	31 Stratham Green Stratham, NH	Michael and Martha Rowe 31 Stratham Green Stratham, NH 03885	Book 3129/ Page 2426
Map 17/ Lot 031/ 032	32 Stratham Green Stratham, NH	James and Cheryl Halepis 32 Stratham Green Stratham, NH 03885	Book 5098/ Page 0509
Map 17/ Lot 031/ 033	33 Stratham Green Stratham, NH	Kathryn Burns Lamphier 33 Stratham Green Stratham, NH 03885	Book 4798/ Page 2247
Map 17/ Lot 031/ 034	34 Stratham Green Stratham, NH	Cheryl and Marshall Lambrecht 34 Stratham Green Stratham, NH 03885	Book 5840/ Page 2177
Map 17/ Lot 031/ 035	35 Stratham Green Stratham, NH	Jean M. Sullivan Trust 2015 10 Long Hill Rd Stratham, NH 03885	Book 5668/ Page 2179
Map 17/ Lot 031/ 036	36 Stratham Green Stratham, NH	Stetson Family Revoc. Trust 36 Stratham Green Stratham, NH 03885	Book 4261/ Page 1927
Map 17/ Lot 031/ 037	37 Stratham Green Stratham, NH	Bailey Rye Residence Trust 37 Stratham Green Stratham, NH 03885	Book 3315/ Page 1430
Map 17/ Lot 031/ 038	38 Stratham Green Stratham, NH	Dow Revoc. Trust of 2018 38 Stratham Green Stratham, NH 03885	Book 5943/ Page 0227
Map 17/ Lot 031/ 039	39 Stratham Green Stratham, NH	Prazar Family Revoc. Trust 2015 39 Stratham Green Stratham, NH 03885	Book 5674/ Page 0175
Map 17/ Lot 031/ 040	40 Stratham Green Stratham, NH	Kimberly Beth Chapman 40 Stratham Green Stratham, NH 03885	Book 4978/ Page 2151
Map 17/ Lot 031/ 041	41 Stratham Green Stratham, NH	Paul and Helen Smith 41 Stratham Green Stratham, NH 03885	Book 3947/ Page 0963
Map 17/ Lot 031/ 042	42 Stratham Green Stratham, NH	Rogers Revoc. Trust 42 Stratham Green Stratham, NH 03885	Book 5693/ Page 1036

Table: Groundwater Management Zone Property Owner List - Site# 199507007

Tax Map / Lot No. / Sublot	Property Address	Owner Name and Address	Deed Reference (Book / Page)
Map 17/ Lot 031/ 043	43 Stratham Green Stratham, NH	Michael And Linda Cassily 43 Stratham Green Stratham, NH 03885	Book 5465/ Page 1012
Map 17/ Lot 031/ 044	44 Stratham Green Stratham, NH	Richard Kelly and Laura Bahl 44 Stratham Green Stratham, NH 03885	Book 5870/ Page 0831
Map 17/ Lot 031/ 045	45 Stratham Green Stratham, NH	Louis and Emelia Chisea 45 Stratham Green Stratham, NH 03885	Book 2800/ Page 0819
Map 17/ Lot 031/ 046	46 Stratham Green Stratham, NH	Ricard Revoc. Trust 46 Stratham Green Stratham, NH 03885	Book 4390/ Page 1622
Map 17/ Lot 031/ 047	47 Stratham Green Stratham, NH	John C. Gallagher Revoc. Trust 47 Stratham Green Stratham, NH 03885	Book 6118/ Page 0185
Map 17/ Lot 031/ 048	48 Stratham Green Stratham, NH	Leonard W. Allen, III 48 Stratham Green Stratham, NH 03885	Book 5295/ Page 0671
Map 17/ Lot 031/ 049	49 Stratham Green Stratham, NH	Elizabeth Keniston and Kathryn and Nancy Hanlon 49 Stratham Green Stratham, NH 03885	Book 4765/ Page 1370
Map 17/ Lot 031/ 050	50 Stratham Green Stratham, NH	Peter Winkler Revoc. Trust and Dalma Winkler Revoc. Trust 50 Stratham Green Stratham, NH 03885	Book 5323/ Page 1762
Map 17/ Lot 031/ 051	51 Stratham Green Stratham, NH	Diane Smith 51 Stratham Green Stratham, NH 03885	Book 3964/ Page 0882
Map 17/ Lot 031/ 052	52 Stratham Green Stratham, NH	Richard Middleton 52 Stratham Green Stratham, NH 03885	Book 5550/ Page 0517
Map 17/ Lot 031/ 053	53 Stratham Green Stratham, NH	Rockefeller Family Revoc. Trust 2012 53 Stratham Green Stratham, NH 03885	Book 6171/ Page 2425
Map 17/ Lot 031/ 054	54 Stratham Green Stratham, NH	Hollylynn Jenness 54 Stratham Green Stratham, NH 03885	Book 6244/ Page 2914
Map 17/ Lot 031/ 055	55 Stratham Green Stratham, NH	Peter Cryans Revoc. Trust 55 Stratham Green Stratham, NH 03885	Book 3706/ Page 0986
Map 17/ Lot 031/ 056	56 Stratham Green Stratham, NH	56 Stratham Green Realty Trust 56 Stratham Green Stratham, NH 03885	Book 3512/ Page 1732
Map 17/ Lot 031/ 057	57 Stratham Green Stratham, NH	James Appleby, Jr. Irrevoc. Trust 57 Stratham Green Stratham, NH 03885	Book 6143/ Page 0982

Table: Groundwater Management Zone Property Owner List - Site# 199507007

Tax Map / Lot No. / Sublot	Property Address	Owner Name and Address	Deed Reference (Book / Page)
Map 17/ Lot 031/ 058	58 Stratham Green Stratham, NH	Darlene Santerre 58 Stratham Green Stratham, NH 03885	Book 5926/ Page 1304
Map 17/ Lot 031/ 059	59 Stratham Green Stratham, NH	Dennis and Jaqueline Stone 59 Stratham Green Stratham, NH 03885	Book 2802/ Page 1929
Map 17/ Lot 031/ 060	60 Stratham Green Stratham, NH	Sarah Conant 60 Stratham Green Stratham, NH 03885	Book 5009/ Page 0181